	Application No.	Applicant(s)
Notice of Allowability	09/823,660	SELIG ET AL.
	Examiner	Art Unit
	Tam D. Tran	2676
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>9/7/2004</u> .		
2. The allowed claim(s) is/are <u>1-50</u> .		
 3. Acknowledgment is made of a claim for foreign priority unal All b) Some* c) None of the 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	been received.	<u> </u>
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Notice of Informaci D	Antoni Anglia dia (DTO 450)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal P 6. ☐ Interview Summary 	ratent Application (PTO-152)
	Paper No./Mail Dat	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 9/07/2004	8), 7. Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	·	

Application/Control Number: 09/823,660 Page 2

Art Unit: 2676

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-50 are allowed.
- 2. The following is a statement of reasons for the indication of allowable subject matter:

 The prior art taken singly or in combination does not teach or suggest method of performing clear operations in a region having a subregion, comprising: performing an initialization routine responsive to a first clear command, wherein the initialization routine comprises eliminating stale information from all pixels outside the subregion; and responsive to a subsequent clear command: updating a current clear count for the region; and writing the updated current clear count into clear count values associated with all pixels outside the subregion.

 The closest prior art shows a clearing method having clear command and clearing some portion but does not disclose updating a current clear count for the region; and writing the updated

Conclusion

current clear count into clear count values associated with all pixels outside the subregion.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tam D. Tran** whose telephone number is 571-272-7793. The examiner can normally be reached on MON-FRI from 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Matthew Bella** can be reached on **571-272-7778**. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number: 09/823,660

Art Unit: 2676

Control Number: 09/623,66

Page 3

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tam Tran

TT Examiner

Art unit 2676

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Marker (Bella